

EMERGENCY PREPAREDNESS CHECKLIST

- Get child's emergency contact information
- Get child's emergency care plan/Food Allergy Action Plan(FAAP)
- Get medication from parents/guardians
- Have stock supply of epinephrine auto-injectors if your state allows
Note: There are an increasing number of severe reactions in students with undiagnosed LTFA (see FAME manual for details on undiagnosed LTFA)
- Contact your local Emergency Medical Services (EMS)
 - Inform that a child has life-threatening food allergy (LTFA)
 - Is epinephrine carried on ambulance
- Education and Training
 - Know signs and symptoms of anaphylaxis
 - Review how to use epinephrine auto-injector
 - Have emergency medication readily available in a secure accessible area. Have a second dose readily available along with permission for non-licensed trained personnel to give. See Emergency Care Plan (ECP)/Food Allergy Action Plan (FAAP).
 - Know expiration date
 - Instructions on how to use the Generic Adrenalick®: epinephrineautoinject.com
 - Generic Adrenalick® Skills Test
 - Instructions on how to use the Auvi-Q™: auvi-q.com
 - Auvi-Q™ Skills Test
 - Instructions on how to use an EpiPen®: epipen.com
 - EpiPen® Skills Test
- Develop an emergency response plan and team
 - Develop a plan for school, home, and community
 - Emergency Shelter-In-place plan (disaster plan)
 - Have safe foods available for students with life-threatening food allergies
- Do emergency drills
 - Date completed
 - Frequency
 - Completed by